

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5734898").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:41
L5	63	"5734898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:42
L6	662	(stop abort terminat\$4) adj request\$5 with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:42
L7	299	6 and @ad<"20010403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:43
L8	5339	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:43
L9	634	(709/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:43
L10	3	7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:44
L11	4	7 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:43

## EAST Search History

L12	44	7 and "709"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:55
L13	2	"20020143892"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 08:55



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

"+stop" "+remaining response" "+header"

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used: **stop remaining response header**

Found 6 of 210,707

Sort results by

relevance


☒ Save results to a Binder

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


☒ Search Tips

☐ Open results in a new window

Results 1 - 6 of 6

 Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 A system software architecture for high-end computing



David S. Greenberg, Ron Brightwell, Lee Ann Fisk, Arthur Maccabe, Rolf Riesen

 November 1997 **Proceedings of the 1997 ACM/IEEE conference on Supercomputing (CDROM) Supercomputing '97**

Publisher: ACM Press

 Full text available: pdf(254.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Large MPP systems can neither solve grand-challenge scientific problems nor enable large scale industrial and governmental simulations if they rely on extensions to workstation system software. At Sandia National Laboratories we have developed, with our vendors, a new system architecture for high-end computing. Highest performance is achieved by providing applications with a light-weight interface to a collection of processing nodes. Usability is provided by creating node partitions specialized ...

# 2 Improving the browsing experience: A framework for coordinated multi-modal browsing with multiple clients



Alistair Coles, Eric Deliot, Tom Melamed, Kevin Lansard

 May 2003 **Proceedings of the 12th international conference on World Wide Web WWW '03**

Publisher: ACM Press

 Full text available: pdf(111.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As users acquire or gain access to an increasingly diverse range of web access clients, web applications are adapting their user interfaces to support multiple modalities on multiple client types. User experiences can be enhanced by clients with differing capabilities combining to provide a distributed user interface to applications. Indeed, users will be frustrated if their interaction with applications is limited to one client at a time. This paper discusses the requirements for coordinating we ...

**Keywords:** multi-modal browsing, web proxy

# 3 Characterizing indirect speech acts

Gretchen P. Brown

 July 1980 **Computational Linguistics**, Volume 6 Issue 3-4

Publisher: MIT Press

 Full text available: pdf(1.78 MB) [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents the core of a descriptive theory of indirect speech acts, i.e. utterances in which one speech act form is used to realize another, different, speech act. The

proposed characterization of indirect speech acts is based on principles of goal formation, viewed in the context of a general structural model of action. The model of action is used to develop rules that characterize a large number of indirect speech act forms. Computational implications of the theory are discussed.

#### 4 Understanding the management of client perceived response time



David Olshefski, Jason Nieh

June 2006 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the joint international conference on Measurement and modeling of computer systems SIGMETRICS '06/Performance '06**, Volume 34 Issue 1

**Publisher:** ACM Press

Full text available: pdf(343.30 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding and managing the response time of web services is of key importance as dependence on the World Wide Web continues to grow. We present *Remote Latency-based Management* (RLM), a novel server-side approach for managing pageview response times as perceived by remote clients, in real-time. RLM passively monitors server-side network traffic, accurately tracks the progress of page downloads and their response times in real-time, and dynamically adapts connection setup behavior and w ...

**Keywords:** QoS, admission control, client perceived response time, web server performance

#### 5 The automatic generation and execution of function test plans for electronic switching systems



Jonathan Bauer, Susan Faasse, Alan Finger, William Goodhue

January 1978 **ACM SIGSOFT Software Engineering Notes , ACM SIGMETRICS Performance Evaluation Review , Proceedings of the software quality assurance workshop on Functional and performance issues**, Volume 3 , 7 Issue 5 , 3-4

**Publisher:** ACM Press

Full text available: pdf(742.11 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A three phase functional testing methodology is described for use in the development cycle of electronic switching systems. The methodology centers on a directed graph model of the system and provides for the checking of system requirements, the generation of functional tests and the automatic execution of these tests.

#### 6 Embedded video in hypermedia documents: supporting integration and adaptive control



Dick C. A. Bulterman

October 1995 **ACM Transactions on Information Systems (TOIS)**, Volume 13 Issue 4

**Publisher:** ACM Press

Full text available: pdf(2.41 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As the availability of digital video becomes commonplace, a shift in application focus will occur from merely accessing video as an independent data stream to embedding video with other multimedia data types into coordinated hypermedia presentations. The migration to embedded video will present new demands on application and support environments: processing of any one piece of video data will depend on how that data relates to other data streams active with ...

**Keywords:** adaptive control, embedded video, hypermedia documents, multimedia, synchronization, video presentation

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Google

"stop request "sending remaing response

Search

[Advanced Search](#)  
[Preferences](#)

New! [View and manage your web history](#)

Web

Results 1 - 10 of about 19,000 for "stop request "sending remaing response. (0.35 seconds)

Did you mean: "stop request "sending **reading** response

### Response data

Amount of time, in microseconds, to **send** a request to the remote end of the channel and receive a **response**. Two values are returned: ...

publib.boulder.ibm.com/infocenter/wmqv6/v6r0/topic/com.ibm.mq.csqzac.doc/pc12480\_.htm  
- 32k - [Cached](#) - [Similar pages](#)

### Method for signaling a **stop request** at a request stop - Patent ...

The passenger can **send** the **stop request** to the central server 4 via SMS ... Additional information can be co-transmitted such as the **remaining** waiting time. ...

www.freepatentsonline.com/20050078014.html - 52k - [Cached](#) - [Similar pages](#)

### Resource utilization for multimedia broadcast multicast services ...

The **remaining** MBMS session data streams from the other SGSN's are unnecessary. ....

[0036] Alternatively, the BSC may **send** a MBMS SESSION START **RESPONSE** ...

www.freepatentsonline.com/20060171369.html - 45k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

### Programmable Command Formats and Administration Interface

A **sending** channel is only in doubt while the **sending** Message Channel Agent is waiting ...

LongRetriesLeft (MQCFIN): Number of long retry attempts **remaining** ...

middleware.its.state.nc.us/middleware/

Documentation/en\_US/htm/csqzac00/csqzac001c.htm - 16k - [Cached](#) - [Similar pages](#)

### [PDF] RoboServer

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Execution Event **Response** when the execution was requested. RoboServer responds to a

**Stop Request** by **sending** a Server Execution Event ...

kdc.kapowtech.com/documentation\_6\_2/robosuite/RoboServerUsersGuide.pdf -

[Similar pages](#)

### Network Work Group E. Burger (ed.) Internet Draft J. Van Dyke ...

**Response** Attributes and Return Codes 7.1. SIP The Media Server acknowledges receipt of an application request by **sending** a **response** of either 200 OK or 415 ...

ietfreport.isoc.org/all-ids/draft-vandyke-mscml-00.txt - 50k - [Cached](#) - [Similar pages](#)

### OpenMRCP - Open Source Media Resource Control Protocol Stack ...

response\_message->start\_line.request\_id) { /\* unexpected **response** \*/ return ... process

**remaining** requests \*/ synthesizer\_queue\_process(channel ...

fisheye.freeswitch.org:8081/browse/~raw,r=436/

OpenMRCP/trunk/mrcpcore/resource/src/mrcp\_synthesizer\_channel.c - 19k -

[Cached](#) - [Similar pages](#)

### Notification forwarding discriminator - US Patent 5519863

That **stop request** is directed to a particular manager who initiated the start request.

Operation 244 must also **send** a **response** to the **stop request** back to ...

www.patentstorm.us/patents/5519863-description.html - 54k - [Cached](#) - [Similar pages](#)

### Data communication method using a plurality of lines - US Patent ...

To be more specific, when a transmitting station is **sending** block data to .... In **response** to the protocol **stop request**, the system control section 10a ...

www.patentstorm.us/patents/5317415-description.html - 45k - [Cached](#) - [Similar pages](#)

\$Id: synchronization.ttcn,v 1.13 2005/02/10 07:32:42 deiss Exp ...  
null ) { g\_pt\_sync.send( a\_stopPhaseReq\_s( p\_phase ) ) to p\_clients[i]; ... take a snapshot  
and check whether there is a **stop request** function f\_checkStop ...  
[www.wiley.com/legacy/wileychi/ttcn-3/supp/synchronization.ttcn](http://www.wiley.com/legacy/wileychi/ttcn-3/supp/synchronization.ttcn) - 13k -  
[Cached](#) - [Similar pages](#)

Did you mean to search for: "stop request "sending *reading* response"

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

"stop the response "header

Search

Advanced Search  
Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 13,800 for "**stop the response "header**". (0.31 seconds)

### Mailing list archives

Otherwise we have to **stop the response** early, there's nothing we can do. ... to kill a child when it's reading > an infinite number of **headers**, for example? ...

mail-archives.apache.org/.../%3CPine.LNX.3.95dg3.980102140933.24424D-100000@twinlark.arctic.org%3E - 6k - [Cached](#) - [Similar pages](#)

### HttpResponse.SuppressContent Property (System.Web)

If it is, the SuppressContent property is set to true to **stop the response** from being sent. Visual Basic. ' Clear **headers** to ensure none ' are sent to the ...

msdn2.microsoft.com/en-us/library/system.web.httpresponse.suppresscontent(VS.80).aspx - 22k - [Cached](#) - [Similar pages](#)

### Nabble - Beehive - User - Stream a file from an action

However, the content type **header** never gets updated; it always comes to the browser as text/html. ... forward mean to **stop the response** right there? ...

www.nabble.com/Stream-a-file-from-an-action-t3722687.html - 53k - [Cached](#) - [Similar pages](#)

### [Web-SIG] Stuff left to be done on WSGI

Which means the catcher has to keep track of the >> **headers** that were sent if it hopes to do ... then just >> **stop the response** short and log the error. ...

mail.python.org/pipermail/web-sig/2004-August/000697.html - 14k - [Cached](#) - [Similar pages](#)

### Problem with Response.Redirect - telerik Forum

I think server side error will **stop the response** to write some HTML **header** which is needed for Response.RedirectLocation(), and flush will write that **header** ...

www.telerik.com/community/forums/thread/b311D-kbcat.aspx - 133k - [Cached](#) - [Similar pages](#)

### Control I/O module having the ability to interchange bus protocols ...

The **header** field of all master-originated packets, consists of the ASCII control .... A stop signal 186 will also **stop the response** timer 170 from timing at ...

www.patentstorm.us/patents/6151640-description.html - 60k - [Cached](#) - [Similar pages](#)

### Common database system for a communication system - US Patent 5859847

370/389, Switching a message which includes an address **header** (e.g., ..... A stop signal 186 will also **stop the response** timer 170 from timing at this time ...

www.patentstorm.us/patents/5859847-description.html - 61k - [Cached](#) - [Similar pages](#)  
[ [More results from www.patentstorm.us](#) ]

### Bug ID: 4813680 Passthrough from iWS 6 to AS 7.0 does not work ...

I think internet explorer is doing this for getting the range **headers**. ... If I just **stop the response** in the middle from browser, Passthrough destroys the ...

bugs.sun.com/bugdatabase/view\_bug.do?bug\_id=4813680 - 34k - [Cached](#) - [Similar pages](#)

### Systemic Immunity and the Whole Body

BioHealth **Header**, diagnostic testing .... They slow down and **stop the response** of B and T-cells after invading pathogens are destroyed. ...

www.biodia.com/resources\_systemic\_immunity.html - 23k - [Cached](#) - [Similar pages](#)

### Stopping Terrorists - 10 Million at a Time « WORLD GONE MAD

Home · About expat · The **Header** Photo · Where's Singapore? ... the president nor congress has the power to **stop the response** once a WMD attack is confirmed. ... expatbrian.wordpress.com/2007/08/21/stopping-terrorists-10-million-at-a-time/ - 28k -

<http://www.google.com/search?hl=en&q=%22stop+the+response++%22header>

9/13/2007



[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

---

"stop the response "header

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Google](#)

"stop request the response

[Search](#)

[Advanced Search](#)  
[Preferences](#)

New! [View and manage your web history](#)

**Web**

Results 1 - 1 of 1 for "**stop request the response**. (0.40 seconds).

Tip: Try removing quotes from your search to get more results.

**SYSTEM, METHOD, AND DATABASE FOR PROCESSING TRANSACTIONS - Patent ...**

... which includes both response data (such as an acknowledgement) and a **stop request**,

**the response** data is written (920) to the specified location for ...

[www.freepatentsonline.com/20020073019.html](http://www.freepatentsonline.com/20020073019.html) - 193k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Download [Google Pack](#): free essential software for your PC

"stop request the response

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)